
Section I - Product Identification

Part Number: 50077
Product Name: SUPER SLIDE DRY LUBE 10.25OZNW
Trade Name/Synonyms: SPRAY DRY LUBE
Chemical Family: AEROSOL LUBRICANT

Section II - Hazardous Ingredients

Ingredient	CAS No.	WT %	Pel	TLV	Stel	Units	LC50,PPM	LD50, MG/KG
HEPTANE	00142-82-5	65-70	400	400	500	PPM	MIC 18333	N/A
N-BUTANE	00106-97-8	15	800	800	N/A	PPM	RAT277374	N/A
PROPANE	00074-98-6	15	1000	N/A	N/A	PPM	MLO 10000	N/A
ISOPROPANOL	00067-63-0	<5	400	400	500	PPM	RAT>12000	RAT I 5045 RAB A12800
BENZENE	#00071-43-2	TRACE						
TOLUENE	#00108-88-3	TRACE						

Section III - Physical Data

Boiling Pt Deg F/C: < 0F/-18C
Vapor Pressure(MM HG):N/A
Vapor Density(Air=1):Heavier than air
Solubility In Water: NIL
Physical State: AEROSOL
Freeze PT Deg F/C: N/A
Appearance And Odor: Clear liquid, solvent odor
Voc:Lbs/Gal=5.29; Grams/Liter=634 ; Grams Voc/Gram Solid=N/A ; % Voc 99.7

Specific Gravity:0.64
&Volatile Volume:99.9
Evaporation Rate:Faster than ether
Water/Oil Dist Coeff:0
PH: N/A
Threshold Odor,PPM: N/A

Section IV - Fire and Explosion Hazard Data

Classification: FLAMMABLE AEROSOL
Combustion Products: CO, CO2
Flash Point Deg F/C: Propellant < 0 F/-18 C
Extinguishing Media: Foam, dry chemical, carbon dioxide
Auto Ign. Temp Deg F/C: N/A
Special Fire Fighting Procedures:
Firefighters should wear self-contained breathing equipment.
Unusual Fire And Explosion Hazards:

NFPA Rating: 2,4,0 HMIS: 2,4,0
Lel%:1.1 Uel%:12.7

SUPER SLIDE DRY LUBE 10.25OZNW

MSDS ID: 50077

Section IV - Fire and Explosion Hazard Data (Cont.)

Exposure to fire, heat or prolonged sunlight may cause bursting. If used in confined spaces, hazardous vapors may spread or build up in low areas.

Contact with flame or hot surfaces may produce toxic gases.

Explosive Power: HIGH

Impact Sensitive: No

Burning Rate: HIGH

Static Sensitive: Yes FLAMMABLE

Section V - Health Hazard Data

Routes Of Entry: SKIN CONTACT, EYE, INHALATION

Effects Of Overexposure:

Causes eye & skin irritation. Excess inhalation of vapors may cause respiratory irritation, dizziness, weakness, fatigue, nausea, headache & possible unconsciousness, even death. Prolonged & repeated inhalation may be harmful to respiratory system & central nervous system. Misuse or deliberate inhalation may be harmful or fatal. Warning: This product contains chemicals known to the State of California to cause cancer & birth defects or other reproductive harm.

Any suspected carcinogen = or > 0.1%?: No

Emergency and First Aid Procedures:

EYE: Immediately flush with plenty of water for 15 min. and call physician.

SKIN: Wash thoroughly with plenty of water & soap. INHALATION: If affected, remove to fresh air, administer oxygen & call physician. INGESTION: Accidental ingestion is unlikely. If ingested, call a physician immediately.

Section VI - Reactivity Data

Stable: Yes Conditions to Avoid: Heat, sparks, flames, ignition sources.

Incompatibility (Materials to Avoid): No

Hazardous Decomposition Products: Yes CO, CO2

Hazardous Polymerization: No

Section VII - Spill or Leak Procedures

Listed In: SARA Title III; #302: No #304, Cercla: No #313: No

Steps to be Taken in Case Material is Released or Spilled:

Remove all sources of ignition. Ventilate the area. Clean up with absorbent material.

Disposal Method:

Dispose of wastes in accordance with federal, state and local regulations.

Do not puncture, incinerate or burn containers.

Section VIII - Safe Handling and Protection Information

Ventilation-Local: Recommended

Special: N/A

Mechanical: Recommended

Other: N/A

Protective Gloves: See Below

Eye Protection: Safety glasses

Precautions in Use:

If ventilation is inadequate, wear approved respiratory equipment. Do not spray near sparks, flame or heated surface. Gloves: None required under normal application where skin contact is minimal.

SUPER SLIDE DRY LUBE 10.25OZNW

MSDS ID: 50077

Section VIII - Safe Handling and Protection Information (Cont.)

Estimated LD50, MG/KG: No
Estimated LC50, PPM: No
Sensitization: No
Irritant: Yes EYES, SKIN

Synergistic Agents: No

Section IX - Special Precautions

Precautions to be Taken in Handling and Storing:

Keep away from heat, sparks, flames or sources of ignition. Do not puncture, incinerate, burn or store containers above 120F(47C). Use only in well ventilated areas. Do not breathe vapor or spray mist. Avoid contact with eyes, skin & clothing. Wash thoroughly after using. In case of accident or illness, seek physician immediately, show label or MSDS.

Other Precautions:

Keep out of reach of children. Always read & follow directions on product label. Additional technical data sheets and/or material safety data sheets (MSDS) are available upon request. For professional & industrial use only.

Symbols, Abbreviations and Notations:

#=Listed in SARA Title III Section 313; @=Non-hazardous ingredient among the 5 most predominant substances; +=Contains encapsulated Silica-Crystalline or Carbon Black.

Normal product usage should not result in respirable dust that would be hazardous to the respiratory system; N/A=Not available or applicable; *=If found as dust, mist or fume; C=Ceiling limit; S=Skin designation; M=Human; RAB=Rabbits; GPG=Guinea Pigs; MIC=Mice; I=Ingestion; A=Skin absorption; LO=Little observable effect; NO=No effect; Pel=OSHA permissible exposure limit; TLV=ACGIH threshold limit value; Stel=Short term exposure limit.

All components of this product are listed or are exempt from listing on the TSCA inventory and/or the Canadian DSL or NDSL. MSDS prepared by the Corporate Compliance department.

The information and recommendations provided herein are believed to be correct as of the date hereof. However, such information and recommendations are provided without warranty of any kind and **LAWSON PRODUCTS, INC.** disclaims any and all liability or legal responsibility for use or reliance upon same.